


DS-KAD606 Video/Audio Distributor

Key Features

- Built-in 24 VDC voltage-stabilized switching mode power supply
- Eight RJ-45 interfaces, including six adaptive 10/100 Mbps LAN interfaces supporting network cable powering and two adaptive 10/100 Mbps cascading LAN interfaces
- IEEE802.3, IEEE802.3u, IEEE802.3x
- Storing and forwarding function
- VLAN technique
- Over 1000,000 h mean time between failure
- (Optional) Suitable for wall mounting



Typical Application




Specifications

Model		DS-KAD606
Network parameters	Interface number	Eight 10/100 Mbps Interfaces
	Interface type	RJ-45, Full/Half-Duplex, MDI/MDI-X Self-Adaptive
	Standard	IEEE802.3, IEEE802.3u, IEEE802.3x
	Processing type	Storing and Forwarding
	Flow control	IEEE802.3x (Full-Duplex), Back Pressure (Half-Duplex)
	Priority queue	Four
	MAC address list	8K
	Internal buffer	1 Mbit
General	Power supply	220 VAC
	Power consumption	<3 W
	Working temperature	-30° C to 70° C (-22° F to 158° F)
	Working humidity	5% to 95%, No Condensation
	Dimensions (L × W × H)	268.6 mm × 118.4 mm × 102.2 mm (10.6" × 4.7" × 4.0")
	Certification	FCC, IC, CE, C-TICK, ROHS, REACH, WEEE

Available Model

DS-KAD606

Physical Interfaces



Index	Description
1	8 RJ-45 interfaces
2	Power Indicator
3	220 VAC, Power Socket

Distributed by



Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Europe
T +31-23-5542770
saleseuro@hikvision.com

Hikvision France
T +33(0)1-85-330-444
info.fr@hikvision.com

Hikvision Oceania
T +61-2-8599-4233
salesau@hikvision.com

Hikvision Middle East
T +971-4-8816086
salesme@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Hong Kong
T +852-2151-1761

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Poland
T +48-22-460-01-50
poland@hikvision.com

Hikvision Canada
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision UK
T +44-1628-9021-4
support.uk@hikvision.com