

HD PRO

Series marked for the installer looking for a high-level camera emphasizing the difference in image quality. The Pro series cameras are suitable for indoor and outdoor applications where professional video surveillance is required.



BX-391A

2MP No Lens Box Camera



4 IN 1

BUILT-IN MICROPHONE

NO LENS

IR NIGHT VISION

MAIN FEATURES

- BX-391A 2MP No Lens Box Camera
- Sensor: 1/2.7" 2MP CMOS Sensor
- Selectable Output: 2MP: 1920×1080 AHD/TVI/CVI CVBS: 700TVL
- Lens: Depends on lens
- ICR
- 3D-DNR For AHD / 2D-DNR For CVBS
- Weight: 338g
- Power: DC12V±10%, ~80mA



<https://provision-isr.com>

SPECIFICATIONS

Video	
Image Sensor	1/2.7" 2MP CMOS Sensor
Image Format	16:9
Effective Pixels	1984x1225
Scanning System	Progressive
Min. Illumination	0.001Lux
Day & Night	ICR
Day & Night Modes	EXT, Color, B&W, Auto
Compression	
Resolution	2MP: 1920x1080 AHD/TVI/CVI CVBS: 700TVL
Frame Rate	25/30FPS
Image	
Backlight Compensation	BLC/HLC
S/N Ratio	≥80dB (AGC Off)
Privacy Zone	yes
Noise Reduction	3D-DNR For AHD / 2D-DNR For CVBS
Image Enhancement	ATW,AWC,Indoor,Outdoor,Manual,AWB
Image Orientation	Freeze, Mirror, Negative Image
On Screen Data	
CoC Support	Yes
OSD Menu	Available (11 Languages) via CoC Only
Lens	
Field of View	Depands on lens
Iris	Fixed Iris

Lens Mount	M12 Mount
Connectivity	
Video Output	AHD / CVI / TVI / CVBS (Signal Selectable via Back Panel Controller)
Audio Connectivity	N/A
Housing	
Illumination	N/A
Dimensions	139x68x62mm
Weight (gross)	338g
Power	DC12V±10%, ~80mA
Work Environment	-20°C~+50°C (-4°F~+122°F)

DIMENSIONS

